


D3440-1 TUBE GUIDE
SUPERSEDES PREMIER P/N B67-43001-25/-307

D3440-1/-3 NOTES:


- 1) MATERIAL: 6061-T6 (OR 6061-T651/T6510/T6511/T62) BAR
PER AMS-QQ-A-225/8 (OR AMS 4117/4128/4115/4116)
OR PER AMS/QQ/A/200/8 (OR AMS 4160) OR ASTM B211 OR ASTM B221
REF. DART SPEC. M6061T6B
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
POWDER COAT PAINT GREEN SANDTEX (4.3.5.8) PER DART QSI 005 4.3
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH P/N D3440-X PER DART QSI 044 6.1
- 7) WEIGHT: D3440-1=0.35 lb
D3440-3=0.11 lb
- 8) MASK BEFORE PAINTING.
- 9) DRILL HOLE AT ASSEMBLY.





D3440-3 CLAMP
SUPERSEDES PREMIER P/N B67-43001-309

RELEASED
2014-12-08
WJD

B	RE-FORMAT DWG TO CURRENT STANDARD, 90° WAS 93° (ZN B4-2), 0.132 DEEP WAS 0.085 DEEP (ZN C4-4) REASON: FACILITATE MANUFACTURING	DB	14.07.22
A	NEW ISSUE	MB	05.06.02
REV.	DESCRIPTION	BY	DATE
DESIGN	MB	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	DB		
CHECKED	<i>[Signature]</i>	DRAWING NO.	REV. B
MFG. APPR.	<i>[Signature]</i>	D3440	SHEET 1 OF 4
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	BLADE FOLD KIT PARTS	NTS
DATE	14.07.22	<small>COPYRIGHT © 2005 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	



**D3440-5 CONTOURED DETENT CLIP BASE
SUPERCEDES PREMIER P/N B67-43001-217**



**D3440-7 DETENT CLIP BASE
SUPERCEDES PREMIER P/N B67-43001-221**



D3440-5/-7 NOTES:

- 1) MATERIAL: 6061-T6 (OR 6061-T651/T6510/T6511/T62) BAR
PER AMS-QQ-A-225/8 (OR AMS 4117/4128/4115/4116)
OR PER AMS/QQ/A/200/8 (OR AMS 4160) OR ASTM B211 OR ASTM B221
REF. DART SPEC. M6061T6B
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: D3440-5=0.05 lb
D3440-7=0.13 lb

RELEASED
2014-12-08

DESIGN	MB	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	DB		
CHECKED		DRAWING NO.	REV. B
MFG. APPR.		D3440	SHEET 2 OF 4
APPROVED		TITLE	SCALE
DE APPR.		BLADE FOLD KIT PARTS	NTS
DATE	14.07.22	<small>COPYRIGHT © 2005 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	


D
C
B
A



D3440-9 TUBE DETENT CLIP BASE
SUPERCEDES PREMIER P/N B67-43001-241

D3440-9 NOTES:


- 1) MATERIAL: 6061-T6 (OR 6061-T651/T6510/T6511/T62) BAR
PER AMS-QQ-A-225/8 (OR AMS 4117/4128/4115/4116)
OR PER AMS/QT/A/200/8 (OR AMS 4160) OR ASTM B211 OR ASTM B221
REF. DART SPEC. M6061T6B
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: 0.11 lb



D3440-11 GUSSET


D3440-11 NOTES:

- 1) MATERIAL: 6061-T6 (OR 6061-T651/T6510/T6511/T62) ALUMINUM SHEET
PER QQ-A-250/11 OR AMS-QQ-A-250/11 OR AMS 4025 OR AMS 4027 OR ASTM B209
REF. DART SPEC. M6061T6S.250
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: 0.18 lb






RELEASED
2014-12-08

DESIGN	MB	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	DB		
CHECKED	<i>[Signature]</i>	DRAWING NO.	REV. B
MFG. APPR.	<i>[Signature]</i>	D3440	SHEET 3 OF 4
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	BLADE FOLD KIT PARTS	NTS
DATE	14.07.22	COPYRIGHT © 2005 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



D3440-13 BRACKET
SUPERCEDES PREMIER P/N B67-43001-273






DETAIL D
SCALE 2X

D3440-13/-15 NOTES:

- 1) MATERIAL: 6061-T6 (OR 6061-T651/T6510/T6511/T62) BAR
 PER AMS-QQ-A-225/8 (OR AMS 4117/4128/4115/4116)
 OR PER AMS/QQ/A/200/8 (OR AMS 4160) OR ASTM B211 OR ASTM B221
 REF. DART SPEC. M6061T6B
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: D3440-13=0.11 lb
 D3440-15=0.11 lb

R0.13
 TYP



D3440-15 CONTOURED MALE EYE
SUPERCEDES PREMIER P/N B67-43001-215

RELEASED
 2014-12-08

DESIGN	MB	DART AEROSPACE LTD	
DRAWN	DB	HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. B
MFG. APPR.		D3440	SHEET 4 OF 4
APPROVED		TITLE	SCALE
DE APPR.		BLADE FOLD KIT PARTS	NTS
DATE	14.07.22	<small>COPYRIGHT © 2005 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	